

Subject Index

- absorption of sound waves of air, at high frequencies: Aprino, 113; Galeazzi, 113n; Rayleigh, 214
- Academy of Sciences: Berlin, 187, 215, 406; Paris, 163, 187, 194, 207, 216n, 218, 240n; Saint Petersburg, 283, 286, 288, 407, 425, 430; Torino, 186, 405. *See also*: Royal Society
- Accademia del Cimento (Florence): 166, 167-8, 171
- Accademia Filarmonica (Verona): 420
- Accademia Fisico-Matematica Romana: 110, 110n, 164, 168
- Accademia dei Lincei: 121, 121n, 146n
- Accademia degli Scelti: 114n
- acoustic dipole: *see* dipole
- acoustic filters: invented by Stewart, 341-3; in woodwinds (Benade), 344-5
- acoustic input impedance: early measurements, 353-6; input impedance curve, 355-8; of infinite pipe, 358
- acoustic power: *see* intensity of sound
- acoustic velocity: 183
- Acoustical Society of America: 311n, 333, 366, 367, 388
- 'Acoustics', birth of the term: 147-50
- 'aerial string' (*chorda aëris*): *see* organ flue pipes, modern mathematical theory
- air, sound velocity: in free air, from Newton to Laplace, 207-08; in tubes, 19th century, 210-14
- air blade: *see* air jet
- air column, coupling to the: groove, in organ slide-chest, 295; lips, in brass instruments, 360-62, 450; lips, in the flute, 410; player's respiratory tract, 366-9, 477; reed, in organ reed-pipes, 277, 360; reed, in woodwinds, 359-60, 395; air column of a nearby flue pipe, 257
- air jet (air blade): as a 'free air-reed', in the 19th century's early schematizations, 240; evolution in time, in transverse flute, 410; in the recorder, divided fairly symmetrically by the upper lip, 424; turbulence noise in organ flue pipes, reduced by nicking and open-toe voicing, 305-09; turbulence noise in Serassi's Harmonic flute stop, simulating the one in real flute, 259-60; velocity profile, in flue organ pipes, 248-9
- air reed: *see* air jet
- alchemical transmutations: involving tin, lead, bismuth and silver, 16-7
- Alexander the Great's legendary speaking trumpet: Kircher, 100; reconstructions by d'Alancè, *Abbé* Galois, and Huth, 118-20; related laboratory experiments by Kane and Barrett, 119-20; mathematical investigation by Rayleigh, 119
- amalgams: *see* mercury
- ambient temperature, effect on pitch: by the insertion of cold crooks on 'natural' brass instruments during a performance, 482; Euler, Bernoulli, Riccati and Poisson on flue organ pipes, 185, 377-8; on wind instruments, according to their

- size, 376-80; R.W. Young's diagram for the flute, 379; on sound velocity in free air, 207-08
- amplitude modulation: of the flue-pipe's attack transient, by the slider chest's groove, 295-7
- analyzer: *see* spectrum analyzer
- antimony: as an additive to tin-lead alloys, 19-21, 37-40. *See also* tin-lead alloys
- antinode: 183
- antiresonance: 445
- Aristotelian theory of sound: its reception in the Middle Ages and Renaissance, 1-6
- arsenic: *see* tin alloys
- attenuation of wave-amplitude in real tubes: Helmholtz, 210
- aural harmonics: 224. *See also* combination tones
- basic scale on woodwind instruments: *see* fingering chart
- basilar membrane: 222
- bassoon reed: vs clarinet reed (experiments at the London Musical Association), 385
- beating reed: *see* organ reed pipes
- beats: 222
- Bell Telephone Laboratories: 140, 229, 230, 343
- bent tubes: *see* valves, on brass instruments
- Bernoulli force: 451
- Bernoulli's superposition principle: with the criticism of Euler and Lagrange, 215
- Bessel functions: 201n, 336
- Bessel horn family: 336, 431, 446
- Bicylindron: *see* organ flue pipes, chimney
- bismuth: as an additive to tin-lead alloys, 19-21, 37-40
- blowing pressure in: organ flue pipes, 251-3; wind instruments (first measurement of the pressure needed by the player to sound low and high notes, by Stone), 436-7; brass instruments (Blaikley's law), 437
- brass (copper-zinc alloy): since the 17th century used as an additive to tin for improving mechanical resistance to creep, 42. *See also* copper
- brass instruments: brasses vs woodwinds, 432-3; first measurement of nodes and antinodes' positioning (Blaikley), 433-5; first measurement of the quality of tone, still by Blaikley, 435-6; first theoretical investigation of resonance modes (Bouasse), 437-9; birth of the concept of 'effective length', at Conn Ltd (Indiana), by Long and J.C. Webster, 439-42; embouchure as a Helmholtz's resonator (Cardwell), 441-2; flaring bell and sound radiation (Benade & Jansson), 444-7; cutoff frequency vs radiation efficiency (spectrum of radiated sound), 448; types of mouthpiece and 'popping frequency', 449-50; 'cooperation' of resonance modes (Benade's original graphs), 451-3; pedal note, 452-3. *See also*: blowing pressure; crooks; early brass instruments; horn (French); mutes; privileged notes; trombone; valves
- breath temperature: *see* ambient temperature
- British Royal Marine Artillery: 374 (acoustic tests on a series of bugles)
- British Royal Navy: experiments on the intensity of sound vs atmospheric conditions, 152
- Buffet Crampton R 13 clarinet: 291n
- bugle: *see* British Royal Marine Artillery
- casting operations of tin-lead sheet: *see* metal casting
- chalumeau register of clarinet: odd harmonics prevailing, 394; not employed together with the body of the orchestra - by Mozart, Haydn and Beethoven - because of its weak sonority, in the early clarinets. 395-7. *See also* clarinet
- chimney organ pipes: *see* organ flue pipes, chimney
- clarinet: quality of sound (wood vs plastic), 373; quality of sound (wood vs metal), 374; W. Weber vs Chladni, on sound spectrum, 382-4; H. Smith's hypothesis: pitch and timbre due to the kind of reed used, and not to the cylindrical bore, 385; first tone analysis of the clarinet, performed by Blaikley, 385; inconclusive attempts to explain the presence of even harmonics in the sound spectrum, 386-9; fundamental harmonic prevailing over the whole range of the clarinet, contrary to the oboe, 388-9; excitation

- mechanics (Worman's graph and Backus' reed-vibration oscillograms), 389-94; flexibility of intonation due to the elastic closure of the embouchure, 393-5; even harmonics due to the inharmonicity of pressure resonance peaks of the bore (Backus' input impedance curves), 396-400; upper registers, 398-400; brilliance decreasing with the fall of cutoff frequency, 401-02; crooks and tuning problems, 402-03. *See also*: blowing pressure; chalumeu register; cutoff frequency; multiphonic tones; input impedance curves; register hole
- clarino* register: *see* early brass instruments
- Collegio Romano (Rome): 99, 107n, 114, 126, 153, 158n
- combination tones: vs Ohm's law, 222-4; Lagrange's interpretation of the phenomenon, 223. *See also* heterodyne frequencies
- comma: syntonic, in Bassett's trumpet, 458n; Pythagorean, in Gevaert's 'natural-horn' scale, 480
- "Compensating pistons", in brass instruments: Blaikley's valve system, 458
- complex tone: *see* Fourier analysis; timbre
- conical pipes, early researches: by D. Bernoulli, 233; experimental investigation by Boutet, 234; on truncated cones (Wheatstone, Blaikley, Mahillon), 337-9
- constitutional diagram of tin-lead alloys: 44
- 'cooperative regime': wind instruments (in general), 363-4; brass instruments: concept by Bouasse, perfected by Benade, 450-53
- copper (and copper alloys): considered the most sonorous of all 'metals', since Classical Antiquity to the end of 17th century, 6-7; organ flue pipes, 10-12, 30-31; reed-stop resonators, 13; as an additive to tin-lead alloys, 18-9, 40-41; Theophilus' very thin sheets of pure copper (acoustical behaviour), 7, 30; brass as an additive to tin for improving resistance to creep, 42
- cork position in the flute: 417-9
- cornet, wall vibrations of -: measurements by Knauss & Yeager, 375
- cornett: 432
- coupling: *see* air column
- creep: definition, 35-6; mechanical problems caused in ancient organ pipes, 36; additives for improving mechanical resistance (antimony, bismuth, brass, copper), 37-42; creep in rolled sheets, 68-71; recrystallization temperature, 68
- crooks for wind instruments: clarinet, 402-03; horn, 481-2
- cross fingering: 346-7
- crumhorn: 384, 398
- cupro-nickel alloy: flutes, 372
- cuprum purissimum*: Middle Ages, organ flue pipes, 7-8
- cutoff frequency: definition, in wind instruments, 345, 356; effect of tone holes, 345, 356-8; clarinet, 400-02; slide trombone, 462-3; sackbut vs modern slide trombone, 484; horn, 466; natural trumpet (*clarino* register), 475-6; its rise due to the introduction of the mute, 461
- cut-up on organ flue pipe: 305
- cycloid: historical meaning of the term, 186, 186n
- cylindrical tube, resonances of -: 183
- damping: internal (viscous and thermal), on organ flue pipes and flutes, 210-14; radiation, 194, 255, 412; vibration of tube walls, 266n
- didjeridu: 112, 369n
- difference tones: 222-3
- diffraction of sound wave: concept, in the 17th and 18th centuries, 152; at open end of cylindrical tube (Beranek's directivity patterns), 202
- dipole, acoustic: 303
- directivity index: *see* diffraction
- directivity patterns: Martin's measurements on brass instruments, 375n. *See also* diffraction
- 'double notes': *see* multiphonic tones
- doublet, acoustic: 257
- Dublin Society: 150
- dynamic range: clarinet, 381
- ear trumpet: Della Porta, 94; Aprino's "strumento auditorio", 95; harmful resonances noticed by Aprino, 121-2;

- Kircher, 122-4; Royal Society (London), 95-6; Mariotte's parabolic shape, 135-6
- early brass instruments: wind instruments with bent bore condemned by F. Bacon (Aristotelian theory), 156; 'wave velocity' vs 'group velocity' in the *clarino* register of Baroque trumpet (Benade), 469n; range of *clarino* register improved by a more contained development of bell flare, 475-6; oral cavity shapes vs sound spectra, 477; 'correction' of harmonics by liping, assisted by low quality-factor Q , 476; Mersenne's privileged sounds (trumpet), 478; historical evolution of the 'enharmonic' notes, in 'natural' horn and trumpet, 479-82; pressure transfer function: modern slide trombone vs sackbut (Campbell and Greated), 483-5. *See also* mute
- early soldering alloys: 21-3
- echo: Euler's true explanation, as a wave reflection, 189-90
- École polytechnique (Paris): 181
- edge tone: 247
- effective length: of brass instruments (birth of the concept), 439-42; of cylindrical tube with side holes, 345-50; of flute, 414-8
- elasticity: vs hardness (birth of the concept), 5-6; of air, adiabatic vs isothermal (Laplace vs Newton), 207-08
- electric analogs: 139, 332
- embouchure: possible types, in wind instruments, 350-51; on flute, 410; on brasses, 449
- end correction: at tone hole (Böhm, Mahillon, Nederveen), 348-50; flute embouchure hole, 414-7; flanged and unflanged pipe, fundamental frequency only, 199-201; flanged and unflanged pipe, as a function of frequency, 203-05; Helmholtz's resonator, 200; organ pipe mouth, 202-03
- English horn: formants, 291
- enharmonic notes: on Pasquali's 'enharmonic' flute, 348; on lip-reed instruments, 477-80
- Enlightenment: mathematical physics, 179-80
- equal loudness contours: 230n. *See also* intensity of sound
- equal temperament: and trumpet valves, 457-8; on the natural horn (Gevaert), 480
- euphonium: pitch variation as a function of ambient temperature (Blaikley, R.W. Young), 377-8; air-pressure needed to play low and high notes (Stone), 436
- eutectic point: tin-lead alloys, 44. *See also* soldering operations
- Exhibition (Paris, 1839): Cavallé-Coll's Flûte harmonique stop, 260, 261
- Fechner's law: 229n. *See also* Weber's law
- feedback: negative and positive, on pressure- and flow-controlled valves, 250-53, 358-62; on the lips of a trumpet player, 450, 457; delayed -, on the lips of a horn player, 469
- filter, acoustic: invented by Stewart, 341-3; tone holes as acoustic filters and their effect on timbre of wind instruments (first experiments by McGinnis and Parker), 342-3. *See also* Quincke tube
- filter, electrical: invented by G.A. Campbell, 341
- finger hole: *see* tone hole
- fingering chart: standard, on flute, 346; on trumpet, 454
- flaring section of brass instruments: *see* brass instruments
- flügelhorn: 464
- flute (transverse): first experimental investigations, by Lambert and Riccati, 405-09, 425-30; problem proposed by the Saint-Petersburg Academy of Sciences, directed by L. Euler, 407; embouchure hole as a valve controlled by acoustic current, 410; silence zones, 411, 418; harmonic spectrum vs dynamic levels, 411-2; pitch adjustment vs correct tuning, 413-4; length correction vs frequency, provided by the tapering head-joint, 414-6; tapering head-joint behaving as a Helmholtz resonator at low frequency, and as a sort of waveguide at high frequency, 416-9; early vs modern flute (tuning and quality of sound), 419-23. *See also*: cork position in the flute; cross fingering; cutoff frequency; material of construction; vibrato on flute

- Flûte harmonique: *see* Harmonic flute
- Flûte octaviante: *see* Harmonic flute
- Flûte d'orchestre: organ stop by Müller (organ maker at Breslau), 262-3
- flute stops on organ: their timbre, explained by Seebeck-Helmholtz theory, 225
- Fondazione Scienza e Tecnica (Florence): 290
- formants: bassoon and clarinet, 291n; introduced by trumpet mute, 459; vocal emission, 285; first investigations (Stratico, Willis, Helmholtz), 287-91; Vox humana organ stop, 126-8. *See also* pseudoformants
- Fourier analysis and synthesis: 215-7 (square wave), 219, 223, 224, 311, 387. *See also*: square wave; synthesis of instrumental timbre
- Fraunhofer Institut für Bauphysik (IBP, Stuttgart): 306, 309n
- free-reed pipes: 274. *See also* organ reed
- French horn: *see* horn ('French')
- frequency vs length of vibrating string: concept of frequency affirmed only in the first half of the 17th century, 180n. *See also* wavelength
- geometrical acoustics: birth of sound-light duality (Ausonio, Della Porta, Biancani, Bettini), 121-2, 147-50; acoustical mirrors vs burning mirrors (proposals by Cavalieri), 152-4
- German silver: flute, 371
- Göteborg Organ Art Center (GOArt): 300, 326
- gold: its scant sonority, according to the theorists of the 16th and 17th centuries, 5-6; the best material for flutes, according to D.C. Miller, 372
- group velocity: *see* early brass instruments
- gun, compressed air -: invented by Vincenti, produced also by the brass wind instrument maker W. Bull, 165
- hand-stopping on the horn: *see* horn
- 'Hanseatic Baroque style' (organs), 52
- harmonic components of musical tone: Lagrange's sceptical opinion, 215-6; ability of ear to distinguish them (Duhamel's demonstration), 220-21
- Harmonic flute (organ stop): Giuseppe Serassi's 'Flutta al naturale', the most ancient surviving stop of the kind, 250-60; by Cavaillé-Coll, in both versions: Flûte harmonique and Flûte octaviante, 260-62. *See also* noise
- harmonic spectrum: of various kind of organ flue pipes, 304-08. *See also* Fourier analysis
- head joint: Baroque flute vs Böhm flute, 414; recorder, 424-5; piccolo, 414
- hearing aid: *see* ear trumpet
- Helmholtz resonator: end correction, 200; Bicylindron organ stop, 238n; acoustic filters, 342; flute's head-joint at low frequency, 416-8; mouthpiece of brass instruments and flutes; 417n; brass-instruments' mouthpiece, at high frequencies, 443-4, 448
- Hertz (Hz), unit of frequency (= cps): adopted in the English-speaking world only in the late 20th century: xii
- heterodyne frequencies: 363-5
- horn: Webster equation, 139; Bessel, 335-6; transmission coefficient (of catenoidal, conical and exponential horns), 140; compound (cylindrical-conical), 438-9. *See also* speaking trumpet, theory
- horn ('French'): input impedance curves, 464-6; quality of tone and fundamental role of the mouthpiece, 466-9; queries on the 'stopped tone' (Chladni, Blaikley, Morley Pegge, Backus, Pyle), 469-74; bell material and acoustic power radiation, 375-6; lacquered bell, silver-plated bell and acoustic emission, 376; natural horn and crooks, 481; double horn, 464.
- hot-wire anemometry: used in experimental investigations on organ pipes (Richardson, Young & Loughridge), 197; for measuring sound intensity (Tucker & Paris), 229
- image source method: Pardies, 173; Euler, 189
- impedance, acoustic: formally introduced by A.G. Webster, 139 (but already qualitatively known as "resistance of the transmitting medium", 189); lumped impedance theory, introduced by Stewart, 333, 341-3; first measurements (Kennelly & Kurokawa; Stewart; Schuck & Young; J.C. Webster), 353-4. *See also* reflection of sound

- impedance, electrical: introduced by Heaviside, 139
- impedance matching: birth of the concept, 189
- inharmonic partials in attack transients: Trendelenburg, 310-11; theoretical study by N.H. Fletcher, 313-4
- input impedance curves: cylindrical tube, 350-58; clarinet, 396-400; horn, 466-72; trombone, 462-3; trumpet, 445-57
- Institut de France (Paris): 216
- instrumenta Hieronymi*: 99, 100, 119
- intensity of sound, physical and physiological: early researches, 229-30; organ flue pipes (Töpfer's empirical rule), 228-9; contour lines of equal loudness (Bell Telephone Laboratories), 230n. *See also* phonometer
- interference: beats, 222
- internal damping: *see* damping
- International Clarinet Association: 374n
- International Symposium of Musical Acoustics (ISMA): 333
- iron: its sonority judged "bad" in the Classical Antiquity and Middle Ages, 2-3. *See also* steel
- isophonic curves: Hase, 135; H. Fletcher, 230n
- Istituto Tecnico Toscano (Florence): 256
- Jesuit acousticians: a list; Jesuit's contribution on the development of acoustics (summary), 178
- jet mechanics in organ pipes: early investigations ('air reed' vs 'traveling wave'), 238-45; Savart's whirlpools and the theory of flow circulations, 243-5; modern theory, 245-55; Masson and Mokhtar on resonance modes, 249-50; Cremer and Ising's developments (quantitative theory and experiments by Coltman), 245, 251-3; nonlinearity of the excitation, 254-5
- just intonation: on natural horn, 480; on natural trumpet, 478 (Mersenne), 472 (Pintado); in Basset's valve trumpet, 458
- Kircher, Athanasius: his poor reputation enjoyed in scientific circles, 102-03
- La Flèche Jesuit College: 172
- lead: medieval 'species' of -, 16-7; mines, 34; lead pipes gnawed by mice, 77; lead pipes believed to be less sonorous than tin pipes, 14, 74-5
- lip reed: *see* valves
- lipping, on early brass instruments: 'correction' of harmonics assisted by low quality-factor Q , 476
- load impedance, 195
- loudness, of organ flue pipes: Töpfer's rule, 228-9; experiments by D.C. Miller, 230. *See also* equal loudness contours
- manometric flames device (König): for surveying pressure antinodes of an organ pipe, 198; to demonstrate the beat phenomenon and the effect of air coupling of pipes, 256; as a spectrum analyzer, 289-90
- marcassite: 19-21
- masking effect: first experiments (A. Mayer), 225
- material of construction, its effect on: brass instruments, 374-6; organ flue pipes, 298-302; organ reed pipes, resonator, 85-6; woodwinds, 370-74. *See also* organ reed-pipe metallurgy
- Mathesis mixta*: 178
- megaphone: for singing in church, 102. *See also* speaking trumpet
- mercury: as an additive for soldering alloys, 22-3, 43
- metal casting (organ pipes): on cloth, 54-6; on sand, 48-52; on stone, 52-4; early deoxidizants (tyes of flux), 48
- metal sheet for organ pipes, cold working: hammering, 57, 62-3, 72-3; mechanical effect of hammering being merely temporary (natural recrystallization process), 73; rolling mill (*trafila*, in ancient Italian), 63-8; sheets rolled or simply 'cast', effect of the creep, 68-71; repercussions on the acoustic spectrum, 71-3; seasoning process (Gaetano Callido), 48; annealing process, 48, 69-70; thickness of sheet gradually increasing approaching the mouth of the pipe, 52, 73
- metallone*: lead alloyed with zinc and tin, 42
- metals and sound: Aristotelian, Medieval and Renaissance theories, 1-15; their symbolism (Christian sources), 23-6; hard-

- ness vs elasticity (Middle Ages and Renaissance), 5-6; transition from copper to tin-lead alloys, in organ flue pipes, 10-12
- mirrors, acoustical: by Bincani and Kircher, in analogy with burning mirrors, 153-4
- missing fundamental: 224-5
- Mitnahme-effekt*: 295, 364. *See also* air column, coupling
- mode-locking: 364 (N.H. Fletcher), 450
- monopole source: radiation from the ends of an organ flue pipe, 266
- mouthpiece of brass instruments: *see* brass instruments; valves
- mouthpiece of woodwind instruments: *see* wind instruments; valves
- multiphonic tones ('double notes'): 364-6
- Musical Association (London): 332, 352, 375, 377, 385, 386, 436, 458n, 471
- muters (brass instruments): modern, 459-61; early, 474, 478
- natural harmonics on brass instruments: 476-80 (7th, 11th, 13th, 14th, and their 'correction'). *See also* just intonation
- natural horn: *see* early brass instruments; horn; just intonation
- natural trumpet: *see* early brass instruments; just intonation
- 'New' Acoustics: 138-40 (McLachlan, 1936), 181-2
- nicking: on organ flue pipes, 307-09
- node: 183
- noise: on organ flue pipes, 303-08; on the Fluttal naturale (Serassi's organ stop), 259-60
- nonlinearity: of jet drive, in organ pipes and flutes, 254-5; of mechanical reeds, 362-3; of lip reeds, 444, 446
- note-channel wind-chest (organ): 294
- oboe: multiphonic tones, 365; blowing pressure and action of the lips on the reed (also according to an ancient source), 392n; sound spectrum (Saunders), 389
- offset transient: *see* transient, offset
- Ohm's acoustic law: 436
- open cylindrical tube: modes of vibration, 183
- Oraculum Delphicum (Kircher's acoustic chamber): 99
- organ-case acoustics and sound radiation: *Werkprinzip*, 266; Italian Renaissance vs Romantic period, 266-7; sound absorption by organ pipes (Benade), 266n; organ-case and directivity of sound (Cingolani), 267. *See also* radiation of sound
- organ chest: *see* organ slider-chest
- organ flue pipes, attack transient: basic theory, 326-9; its importance in recognising musical instruments (Stumpf), 310; also important in identifying single organ stops, 298; laboratory investigations, also taking into account physio- and psycho-acoustics, 310-17; organ 'touch' and transient (investigations started in 1941), 317-23; mechanical action and transient, 323-6; inharmonicity of transient's partials, 324
- organ flue pipes, chimney: theoretical investigation by D. Bernoulli (corrected by Duhamel), 235; experimental investigations by Gripon, 235; modern theory on the exact positioning of the chimney (Kokkelmans *et al.*), 236-7; 'Bicylindron' stop version, 236-7
- organ flue pipes, conical: 'Pyramidon' stop version, 238. *See also* conical pipes
- organ flue pipes, constructional methods (starting from metal sheet): choice of thickness, 7, 30, 74-5; tin believed to be more sonorous than lead, 14, 74-5; languids, 78-9; hammering, planing, shaving, burnishing, final polishing, 75-80; protective varnishes, 80-81. *See also* soldering operations
- organ flue pipes, early qualitative theory: by V. Galilei, Beeckman, F. Colonna, Mersenne, 144-7; Fabri's flow circulations ('vortices'), 158-9; wave theory by Pardies, 172-5; Pardies' theory of the vibrations of air columns in tubes, 175-7
- organ flue pipes, modern mathematical theory: historical outline, 179-82; Euler's *chor-da aëris* and the first empirical formula for fundamental frequency, 182-5; traveling and standing waves (equations), 185-8; the problem of wave reflection from the open end of a pipe, 188-90; Poisson and Hopkins on energy losses,

- and the positioning of displacement nodes, 194-6; upper-end correction, 199-202; mouth correction (empirical formulas), 202-03; end-correction vs frequency (inharmonic of the overtones), 201-05; length correction due to tuning operations (Rayleigh's horn perturbation), 206; viscous and thermal losses (Helmholtz, Kirchhoff), 208-14; timbre (Fourier's series, Ohm's law, Seebeck-Helmholtz's definition), 214-6. *See also*: scaling of diameters; wave equation
- organ flue pipes, 19th-century experimental physics: laboratory investigations on the two 'end corrections', 190-99. *See also* water, replacing air in organ pipes
- organ flue pipes, voicing and timbre: narrow-scale and large-scale resonators, 303-04; acoustic radiation, 303; closed-toe and open-toe methods of voicing, 307-09; nicking (its effect on noise level and inharmonic overtones), 307-09; tuning slots and tuning 'ears' (their impact on timbre), 309-10
- Organ Historical Society (U.S.A.), 325
- organ maker, in Rome: his tools illustrated in Pinaroli's tables, 57-62; Roman inventories of the workshop of an organ maker and several tin-smiths, 88-92
- organ reed-pipes: copper-alloy and tin-plate resonators (16th-19th centuries), 13; beating-reed type (structure and emission), 269-72; end corrections, 273-4; free-reed type, 274; free-reed "organino", by Filippo Testa (early 18th century), 274; Strohmamm's free reed, 276; reed-resonator interaction (W. Weber), 277-9; free reed as a standard pitch-pipe (W. Weber's formula and its use by organ builders), 279-81; more rapid attack transient in reed pipes than in flue pipes, 311; modern theory of organ beating-reed pipes, 360
- organ reed-pipe metallurgy: modern brass tongues vs ancient multi-layered ones, 81-3; hammered 18th-century tongues vs 19th-century rolled ones (Angelo Amati's rolling mill combined with a plane), 83-4; materials for resonators (copper, brass, lead, tinsplate, zinc), 85-6
- organ slider-chest: structure and acoustical behaviour, 294-5; its possible impact on the attack transient (295-7) and on the offset transient (298-9)
- organ touch vs transient: *see* organ flue pipes, attack transient; transient, offset
- "organino" by F. Testa: 274 (free reeds)
- Orgelbewegung*: 293, 295, 317, 319n
- overblowing: in woodwinds, 334
- 'partial sounds': Perrault, 157
- pedal notes on brass instruments: 452-3
- perturbation of horn profile: *see* tuning operations
- phase component in Fourier series: its role in timbre perception, 225
- Physico-mathesis*: 178
- phonometer: early researches, 229n, 230n; 'Alternation Phonometer', 230n
- piccolo: acoustic power radiation efficiency, 42n; head-joint, 414
- pitch notation used in the present book: xii
- 'popping frequency' of brass instrument mouth-piece: 448
- 'Praetorius-Organ' (Freiburg): 317, 319n
- pressure transfer function: *see* early brass instruments
- privileged notes: Bouasse, 453; Mersenne, 478; Biot, 479
- pseudoformants: on the organ, 267
- psychophysics: E.H. Weber and Fechner, 229
- Pyramidon: *see* organ flue pipes, conical
- Pyrophone (Fire Organ): by Kastner, 263-4
- Pythagorean comma: *see* comma
- quality factor (Q): 271, 450, 476
- quality of sound: *see* timbre
- Quincke tube: 419. *See also* filter, acoustic
- radiation damping: *see* damping
- radiation of sound: Hase's radiation pattern of a megaphone, 135; Riccati's cosine-type radiation pattern of an organ flue pipe, 264; effect of brass instrument wall material on -, 375; effect of organ-pipe wall material, 298-302; French horn's

- bell, 376; muted brass instrument, 459-60; hand-stopped horn, 468-9. *See also* monopole source
- recorder: attack transient, 424; harmonic spectrum, 424; blowing pressure vs end correction, 425; effect of cross fingering, 346-7
- reed valve: *see* valves (acoustic pressure controlled)
- reflection of sound: optical principle of equal angles of incidence and reflection (brought into question by Eschinardi), 151; at stopped- and open-pipe ends (Lagrange's limit conditions), 187; qualitative explanation by Jamin & Bouty (for both stopped and open pipes), 188; open pipe (Euler's image source method), 189-90; inside a pipe containing two gases (Poisson and Biot), 190; in free air (Tyndall), 190
- refraction of sound: brought into question by Bacon and the peripatetic scholars, accepted by Bettini and Kircher, 151; graphical demonstration by Pardies of Descartes-Snell law, 174-5; Descartes-Snell law experimentally demonstrated valid also for sound only in 1852-6, 151n; refraction less pronounced at night (Chilmead, Humboldt), 113; 'continued refraction' in free air, when its density decreases exponentially, calculated by Grandi, 152
- regal stops on pipe organ: 272-3
- register hole in woodwind instruments: 398-400
- resonance frequencies: complete and truncated cone, 339-41; conical organ pipes, 232-4; chimney organ pipes, 235-7; open and closed cylindrical tubes, 183. *See also*: brass instruments; clarinet; conical pipes, early researches; organ flue pipes, chimney
- resonance 'in sympathy': *see* 'sympathetic resonance'
- respiratory tract: interaction with wind-instrument quality of tone, more marked in brasses, 366-9
- Resultant bass (organ stop): 257-8
- rolling mill: *see* metal sheet
- Royal Institute of Technology (Stockolm), Speech Transmission Laboratory: 444
- Royal Military School of Music (London): 377, 435n
- Royal Society (London): 96, 97n, 98, 105, 135, 139, 141n
- sackbut: *see* early brass instruments, cutoff frequency
- Salernitan Questions*: 2, 2n, 4, 4n, 11, 11n
- Santa Cecilia Conservatory of Music (Rome): 481n
- saxhorn: 464
- scaling of diameters: organ-pipe diameter scaling and loudness balance, 226-31; logarithmic scaling (Euler, Riccati, Sorge, Rigi, Töpfer, Helmholtz), 227-8; modern proposal by N.H. Fletcher, 230-31; diameter scaling at different pitch classes of the same wind instrument, 336-7
- Schola Cantorum Basiliensis (Basel): 476
- Science Museum (London): 264, 264n
- Scientific revolution: xi, 144, 178, 179-80
- Seebeck-Helmholtz theory of consonance: 225-6
- serpent: 432
- side holes in wind instruments: early researches, 347-9, 405-09. *See also* wind instruments, basic theory
- silver: by some medieval authors viewed as the most sonorous metal of all, 5. *See also* German silver
- "Simplification System" (by *Abbé* Vogler): 258n
- siren: by Cagniard de La Tour, 210n; polyphonic, by A. Seebeck, 220
- slide trombone: *see* trombone
- slider chest: *see* organ slider-chest
- slit tone: 247
- Snell-Descartes law: *see* refraction of sound
- soldering operations of organ pipes: alloys historically used, 1, 42-5; eutectic tin-lead alloy, 43-4; soldering flux, 79; early iron solderers, 80. *See also*: early soldering alloys; mercury
- sound level meter: *see* phonometer
- sound power: *see* intensity of sound
- sound recorder: graphic waveform recorder by Cornu and Mercadier, 221-3
- sound reflection: *see* reflection of sound
- sound velocity: in free air (Laplace vs Newton), 207-08; in organ pipes, 210-14; method

- for precise determination of sound velocity in tubes (Kundt), 213
- speaker key: *see* register hole
- speaking trumpet, the instrument and its use: parallel with the telescope (1672), 97; invented by Samuel Morland, 96-8; used by bass singers, in France (Doni), 102; Kircher's claim to the invention, 99-103; Galli's measurements, 114-5; also called "marine trumpet" (since at least 1706), 103n; its practical use, 103-05; a Baroque social and musical fashion: 107-14 (in Rome), 114-5 (in Italy, outside Rome), 115-8 (outside Italy: Paris, Danzig, Vienna, Altdorf); resonances, harmful to the intelligibility of the speech, already noticed by Casati, 114; in Rome probably also used as the Australian didgeridoo, 112; Conyers' "reflecting trumpet" (inspired to Newton's reflecting telescope), 105-06; speaking tubes installed at the Collegio Romano and in private houses, 99-101. *See also* Alexander the Great
- speaking trumpet, theory. *Geometrical acoustics schematization, 121-36*: Morland's hybrid theory, 124-5; Eschinardi, Casati, Maignan, Newton, 126-8; hyperbolic, parabolic and exponential shapes (and choice of the material), 128-36; Hase's hybrid elliptic-parabolic shape, 132-3. *'Wave' acoustics schematization, 136-40*: D. Bernoulli, Euler, 136-7; experimental tests by Hassenfratz, 137-8; Rayleigh, 138; A.G. Webster's solution, 139; Morse's diagrams, 139-40; correct theoretical basis, and defects of the early speaking trumpets, 141-2
- spectrogram: *see* harmonic spectrum
- spectrum: *see* Fourier analysis
- spectrum analyzer, Fourier: mechanical (by Lord Kelvin; Sharp; Henrici; D.C. Miller) 221, 221n; by band-pass filters, 396n; electronic, 389
- speed of sound: *see* sound velocity
- 'spotted metal' for organ pipes: Lewis' hypothesis on its acoustical performance, 302
- square wave: its breaking into a trigonometric series, already in Fourier's 1807-09 manuscript, 217; approached, in strong reed vibrations of the clarinet, 393
- standing wave: 1747-8 mathematical solution (d'Alembert and Euler), 185-6
- steel: along with bronze, the most sonorous of the various 'metals' (Lana Terzi), 6; Damascus -, multi-layered, 82. *See also* iron
- stroboscope: used by McGinnis & Gallagher for observing the vibrations of clarinet reed, 387; Conn Chromatic Stroboscope, 353
- symbolism: of pipe organs and metals, according to early Christian sources, 23-6
- 'sympathetic resonance': between strings (early investigations), 162-3; Meyer and Morhof on breaking glass bowls by -, 163-5
- synthesis of instrumental timbre: 220 (the first mechanical synthesizer, A. Seebeck), 220; A.F. Mayer's device, 222
- synthesizer, early -: *see* synthesis of instrumental timbre
- syntonic comma: *see* comma
- talking machine: by Kratzenstein, 283; by Kempelen 284. *See also* vowels
- Tartini 'third sound': for the first time mentioned in 1738 (in a letter sent by Vallotti to Riccati), 222n. *See also* 'third sound'
- temperature: *see* ambient temperature
- tensile strength: *see* creep
- thermal conduction: between air and wall, in organ pipes (Kirchhoff), 212; its impact on pitch, in woodwind instruments, 379
- 'third sound': 222, 257. *See also* Tartini
- timbre: historical development of the concept, 214-26. *See also* tuning operations
- tin: mines and its quality, 19, 31-4; tin-foil to cover rusted pipes, 32; 'tin cancer', 47-8; 'tin pest' (recrystallization from the allotropic state β to state α , first studied in 1872), 39
- tin alloys: tin-arsenic and tin-copper, since Middle Ages, 17-9; *étain sonnante*, i.e. tin-lead alloy with the addition of bismuth or antimony, 19-21
- tin-lead alloys: Middle Ages, 8-12; constitutional diagram, 44
- tinplate resonators: 'white' and 'black' tinplate, simple or double (Savary brothers), 85.

- See also* organ reed-pipe metallurgy
- tone hole: *see* wind instruments
- tone quality: *see* timbre
- trafila*: *see* metal sheet
- transient, attack (onset): *see* organ flue pipes; attack transient; organ reed-pipes; recorder
- transient, offset: in organ slider-chest, and its importance in identifying single organ stops (in particular reed stops), 298
- trochoid: ancient meaning of the term, 186, 186n
- trombone, slide -: playing positions, 461; input impedance curves and cutoff frequency; resonance of the mouthpiece and its evolution from the late 19th century, 462-3; shock waves in the *fortissimo* (Hirschberg *et al.*), 463-5
- trumpet: *see* brass instruments; early brass instruments; trumpet ‘jumps’
- trumpet, natural: *see* early brass instruments; natural harmonics
- trumpet ‘jumps’, early theory: Mersenne, 147; Beeckman, 160; analogy with the trumpet marine (proposed by de Chales and perfected by Robartes), 160-63
- truncated cone: *see* conical pipes
- tuba: harmonics emitted, 337; mouthpiece (Mahillon), 449
- Tuba Stentoro-phonica: 96. *See also* speaking trumpet
- tuning fork: its pitch non sufficiently constant during vibration, 279-81
- tuning operations: perturbation of horn profile (Rayleigh), 206; effect of slots and ‘ears’ on pitch and timbre (organ flue pipes), 309
- “Univalve trumpet” (Bassett): 458n. *See also* just intonation
- University of: Allahabad, 387; Birmingham, 235; Cleveland (Case Western Reserve University), 345, 444; Harvard, 388; Illinois, 460n; Montreal (McGill), 201n; Munich, 371; New South Wales (Sydney), 366n; Padua (Centro di Sonologia Computazionale), 267, 322; Rostok, 247n; Tôhoku (Japan), 205
- valves: acoustic pressure controlled, 350; acoustic current controlled, 350-51
- valves, on brass instruments: piston and rotary type, 455; related acoustic drawbacks, 454-9; acoustic behaviour of tightly bent tubes, 457
- vibrato on flute: N.H. Fletcher, 412
- viscous damping: *see* damping
- vocal tract, coupling with the bore of wind instruments: *see* respiratory tract
- voicing of: organ flue pipes, 303-10; reed organ pipes, 271-2
- vowels: formants and the first talking machines, 282-5; Willis’ first investigations on the Vox humana organ stop, 286-8
- Vox humana (organ stop): *see* vowels
- wall material, its acoustical effect: *see* material of construction
- water, replacing air in organ pipes: beating reeds sounding under water (Cagniard de La Tour), 210n; vibrating water column of Wertheim’s special organ pipe, 211
- water vs air, early theories on sound conduction: air elasticity (Della Porta, Torricelli, Roberval), 165-7; its ‘vis elastica’, called ‘elater’ (Pecquet), 166; supposed duality of air- and water-waves (from the Accademia del Cimento to Nollet), 167-70; air- vs water-conductivity: measurements of the module of compressibility of water, also demonstrating its elasticity (Canton), 170-71
- water-manometer: introduced by Stone for measuring air-pressure in the oral cavity of wind-instrument players, 436-7; later used also by Henderson, 437n
- wave equation: traveling: ideal vibrating string (d’Alembert), 185-6; plane wave in air, ideal (Lagrange), 187; plane wave in air, with viscous losses (Stokes), 209n. *See also* standing wave
- wavelength, as a function of sound speed and frequency: Pardies, Newton and Huygens, 175
- Weber’s law: *see* Fechner’s law
- Webster horn equation: *see* horn
- wind instruments, basic theory: historical outline, 331-4; musical scales for clarinet, oboe and flute, 334; possible bore profiles (Benade), 335-8; full and truncated cones, 338-41; invention of the

acoustic filters (Stewart), 341-4; tone holes: filtering action, 344-5; tone holes: spacing, 345-50; acoustic pressure pattern in a cross-fingered flute, first theoretical and experimental investigations (Steinhausen), 147-8; types of embouchure: acoustic-pressure and acoustic-current controlled valves, 350-51; resonance and impedance curves in the bore, and related measurement devices, 352-8; cutoff frequency, 356; modern theory of mechanical reeds (358-60) and lip reeds (360-62); hetero-

dyne frequencies. 363; multiphonic tones, 364-6. *See also*: material of construction; cross fingering; register hole wood sonority: Renaissance theories, 15-6; wooden pipes mixed with metal pipes, 37 work hardening: organ pipes (historical and technical development), 63-73

Young's modulus: 6, 71, 129

zinc: its early production in Europe, 34; the first flue pipes of -, 35; as an additive to tin, 41-2. *See also*: brass; 'metallone'